

LCG-40 Refractory gunite machine for coke oven repair

LCG-40 焦炉喷涂机

Powerful, Compact and Reliable/结构紧凑、工作可靠

1. Description/描述

LCG-40 Refractory gunite machine for coke oven repair is specifically designed for coke oven guniting application.

This Refractory gunite machine for coke oven repair has not running parts and engine, and driven by compressed air. Thus, it is easy to operate and maintain, and save maintenance cost.

LCG-40 焦炉喷涂机是我司最新研制的新型喷涂设备。喷涂机无回转件、无动力驱动，只加入压缩空气。使用操作简单、维护方便，维护费用极低。喷涂机罐体采用不锈钢结构，碳钢底架和移动轮。适合恶劣工作环境下工作。

2. Technical Data Sheet/技术参数

Item 项目	Description/描述
Work pressure/工作压力	1.2-1.6Bar
Tank volume/罐体容积	40L
Max. aggregate/最大骨料粒径	3mm
Work temperature/工作温度	50°C
Conveying distance/输送距离	30m
Conveying hose ID/输送管内径	25mm
Conveying pipe/输送管长度	6.5m
Overall dimension/外形尺寸	1390x450x1160mm
Weight/重量	145kgs





Zhengzhou Lead Equipment Co., Ltd.

Add: Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,
Zhongyuan District, Zhengzhou, Henan

Web: <https://www.leadcrete.net>

E-Mail: sales1@leadcrete.com

TEL.: +86-371-63902781

FAX: +86-371-63526676