



郑州佰利得机器制造有限公司

Zhengzhou Lead Equipment Co., Ltd.

地址 ADD: 郑州市中原区西流湖街道办事处铁炉村西四环东  
Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,  
Zhongyuan District, Zhengzhou, Henan

邮编 P.C.:450042

网址 (Web): <http://www.leadcrete.com> E-Mail: [sales@leadcrete.com](mailto:sales@leadcrete.com)

电话 TEL: +86-371-63902781 传真 FAX: +86-371-63526676

---

## LCP15H-D Diesel Hose Concrete Pump for Sale



### Product Description:

LCP15H-D hose type concrete pump was designed based on the squeeze hose pump, the concrete pump uses high pressure, wear resisting extruded tubes. More widely used for pumping foam concrete, lightweight form concrete, mortar and refractory materials. The concrete pump also could be used for spraying concrete or refractory materials.



# 郑州佰利得机器制造有限公司

## Zhengzhou Lead Equipment Co., Ltd.

地址 ADD: 郑州市中原区西流湖街道办事处铁炉村西四环东 邮编 P.C.:450042  
Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,  
Zhongyuan District, Zhengzhou, Henan

网址 (Web): <http://www.leadcrete.com> E-Mail: [sales@leadcrete.com](mailto:sales@leadcrete.com)  
电话 TEL: +86-371-63902781 传真 FAX: +86-371-63526676

### Product Feature


1. Compact size, hopper, extrusion pumps, power sources combined in a base frame.
2. Adopting squeeze type pumping, the squeeze hose is the only wearing parts.
3. Imported special concrete squeeze tubes, pressure, wear, long life.
4. Clean on the line, sample, convenient.

### Product Specification

Description	parameter
Squeeze Pump	LH76-610
Hose ID	76mm (Trelleborg Squeeze hose)
Speed	37rpm
Output	15m <sup>3</sup> /h
Pressure	2.5Mpa
Max. Aggregate size	<15mm
Concrete Slump	15-23cm
Hopper Capacity	350L
Stirring speed	37rpm
Diesel engine power	30KW
Overall Dimension	2400x2100x1800mm
Weight	2300kg

Used for spraying, recommend air compressor: the output is 6m<sup>3</sup>/h, the pressure  $\geq$  0.5bar

**Product detailed part**





# 郑州佰利得机器制造有限公司

## Zhengzhou Lead Equipment Co., Ltd.

地址 ADD: 郑州市中原区西流湖街道办事处铁炉村西四环东 邮编 P.C.:450042  
Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,  
Zhongyuan District, Zhengzhou, Henan

网址 (Web): <http://www.leadcrete.com> E-Mail: [sales@leadcrete.com](mailto:sales@leadcrete.com)

电话 TEL: +86-371-63902781 传真 FAX: +86-371-63526676

---

## Zhengzhou Lead Equipment Co., Ltd.

Add: Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,  
Zhongyuan District, Zhengzhou, Henan

Web: <http://www.leadcrete.com> E-Mail: [sales@leadcrete.com](mailto:sales@leadcrete.com)

TEL: +86-371-63902781 FAX: +86-371-63526676