

Double Acting Hydraulic Cylinder for Sale



Description

Double acting hydraulic cylinder for sale is powered by ZB series of high pressure electric oil pump, the function for oil pressure rebound, overflow, double acting hydraulic cylinder for sale is designed a safe protect pressurizer, it can protect emergent overpressure, especial construction can protect jack.

Double acting hydraulic cylinder for sale can bear partial loading is 5% of rated pressure. Double acting hydraulic cylinder for sale is specifically designed for lifting and maintenance applications. It is easy to operate and control, especially in large projects. All model hydraulic jacks are supplied with a tilting saddle to reduce the risk of damage caused by side loading and an integral stop ring for stroke limitation is fitted as standard.

Application

Double acting hydraulic cylinder for sale has been used in many large projects around the world. It has good quality, long life, simple operation, and convenient control. Double acting hydraulic cylinder for sale is mainly used in electric power, construction, lifting heavy machine, bridge project, hydraulic engineering, harbour construction and other equipment, machinery manufacturing, mining, railway bridges, shipbuilding and other industries equipment installation, lifting and handling operation.

Features

Double acting hydraulic cylinder for sale has large output, light weight, remote control and other advantages, it can match with our high pressure oil pump, it can reach jack, push, pull and extrusion and kinds of working.



郑州佰利得机器制造有限公司


Zhengzhou Lead Equipment Co., Ltd.

地址 ADD: 郑州市中原区西流湖街道办事处铁炉村西四环东
Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,
Zhongyuan District, Zhengzhou, Henan

邮编 P.C.:450042

网址 (Web): <http://www.leadcrete.com> E-Mail: sales@leadcrete.com

电话 TEL: +86-371-63902781 传真 FAX: +86-371-63526676



Technical data

Model	Tonnage T	Stroke mm	height A mm	Extend height B mm	Outer diameter of oil cylinder mm	Dia. of piston mm	ID of cylinder mm	Weight kg	Pressure
STQ50-100	50	100	225	325	127	70	100	35	63MPA
STQ50-160		160	285	445				39	
STQ50-200		200	325	525				46	
STQ50-300		300	425	725				48	
STQ50-500		500	625	1125				63	
STQ100-100	100	100	250	350	180	100	140	58	63MPA
STQ100-160		160	310	470				63	
STQ100-200		200	350	550				78	
STQ100-300		300	450	750				96	
STQ100-500		500	650	1150				130	
STQ150-100	150	100	260	360	219	125	180	58	63MPA
STQ150-160		160	320	480				69	
STQ150-200		200	360	560				86	
STQ150-300		300	460	760				103	
STQ150-500		500	660	1160				255	
STQ200-100	200	100	285	385	240	150	200	96	63MPA
STQ200-160		160	345	505				103	
STQ200-200		200	385	585				116	
STQ200-300		300	485	785				161	
STQ200-500		500	685	1185				221	



郑州佰利得机器制造有限公司

Zhengzhou Lead Equipment Co., Ltd.

地址 ADD: 郑州市中原区西流湖街道办事处铁炉村西四环东 邮编 P.C.:450042
 Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,
 Zhongyuan District, Zhengzhou, Henan

网址 (Web): <http://www.leadcrete.com> E-Mail: sales@leadcrete.com

电话 TEL: +86-371-63902781 传真 FAX: +86-371-63526676

STQ320-100	320	100	310	410	330	180	250	196	63MPA
STQ320-160		160	370	530				240	
STQ320-200		200	410	610				258	
STQ320-300		300	510	810				311	
STQ320-500		500	710	1210				456	
STQ400-100	400	100	355	455	380	200	290	198	63MPA
STQ400-160		160	415	575				231	
STQ400-200		200	460	660				264	
STQ400-300		300	555	855				367	
STQ400-500		500	755	1255				456	
STQ500-100	500	100	360	460	430	200	320	323	63MPA
STQ500-160		160	420	580				330	
STQ500-200		200	460	660				420	
STQ500-300		300	560	860				581	
STQ500-500		500	760	1260				599	
STQ630-100	630	100	417	517	500	250	360	560	63MPA
STQ630-160		160	477	637				633	
STQ630-200		200	517	717				696	
STQ630-300		300	617	917				898	
STQ630-500		500	817	1317				1250	
STQ800-100	800	100	488	588	560	300	400	896	63MPA
STQ800-200		200	598	798				1040	
STQ800-300		300	698	998				1380	
STQ800-500		500	898	1398				1520	
STQ1000-100		1000	100	530				630	
STQ1000-200	200		630	830	1332				
STQ1000-300	300		760	1060	1663				

Zhengzhou Lead Equipment Co., Ltd.

Add: Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,
 Zhongyuan District, Zhengzhou, Henan

Web: <http://www.leadcrete.com> E-Mail: sales@leadcrete.com

TEL: +86-371-63902781 FAX: +86-371-63526676