

# LMP35/30 Wall Plaster Machine for Sale



#### **Description:**

LMP35/30 wall plaster machine for sale is a piston pump with one single cylinder single acting, mainly was designed for conveying and spraying mortar or plaster. LMP35/30 wall plaster machine for sale has compact structure reliable operation, low failure rate, convenient cleaning, easy maintenance and high pumping pressure, etc advantages, so it has widely been using for mortar spraying, pumping and grouting in tunnel excavation and maintenance mine engineering, constructing dams, bridges, and foundation treatment, etc. projects.

LMP35/30 wall plaster machine also has been using for mortar and putty pumping and spraying civil buildings.

#### **Application:**

LMP35/30 wall plaster machine for sale has compact structure, reliable operation, low failure rate, convenient cleaning, easy maintenance and high pumping pressure etc advantages, so it has widely been using for mortar spraying, pumping and grouting in tunnel excavation and maintenance, mine engineering, constructing dams, bridges and foundation treatment etc. projects. The pump also has been using for mortar and putty pumping and spraying civil buildings.



Zhengzhou Lead Equipment Co., Ltd.

地址 ADD: 郑州市中原区西流湖街道办事处铁炉村西四环东

邮编 P.C.:450042

Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,

Zhongyuan District, Zhengzhou, Henan

网址(Web):http://www.leadcrete.com E-Mail:sales@leadcrete.com

电话 TEL:+86-371-63902781 传真 FAX:+86-371-63526676

## Features:

1. LMP35/30 wall plaster machine is single cylinder single-acting, ball valve, quick clamp connection, operation and cleaning conveniently;

2. Adopt special design rubber parts to connect to the feeding and back port, easy to disassemble;

3. Vbelt and gear transmission, high efficiency, low failure rate;

4. The special design of the working valve chamber ensures the mortar flow easily, small resistance, no deposition;

5. The screen adopts rubber spring with cone bolt installation, convenient disassembly;

6. The mixing shaft in the hopper is directly linked to the piston rod, thus this shaft is synchronously moved with the said piston rod effectively prevent mortar precipitation;

7. LMP35/30 wall plaster machine equipped with special mortar nozzle, making spraying operation more smoothly, continuously and reducing the rebound effectively.

## **Technical parameters:**

| Item                                    | Technical data   |  |
|---|------------------|--|
| Working Pressure                        | 0~30bar          |  |
| Output                                  | 35L/min          |  |
| Reciprocate                             | 100 times/minute |  |
| Stroke*Travel                           | Φ75mm×85mm       |  |
| Maximum material diameter(EPS Particle) | 6mm              |  |
| Material consistency                    | ≥60mm            |  |
| Hopper Volume                           | 140L             |  |
| Main Driving Motor                      | Y2-114M-4 4Kw    |  |
| Horizontal transport distance           | 80m              |  |
| Vertical delivery distance              | 30m              |  |
| Dimension(L*W*H)                        | 1940×895×960mm   |  |
| Weight                                  | 385kg            |  |

## A complete set of LMP35/30 Wall Plaster Machine for Sale

| No. | Description                           | Qty. | Unit |
|-----|---------------------------------------|------|------|
| 1   | LMP35/30 main unit                    | 1    | set  |
| 2   | Conveying hose, ID38, length 10 meter | 1    | pcs  |
| 3   | Spraying gun                          | 1    | pcs  |
| 4   | Cleaning ball                         | 2    | pcs  |
| 5   | Piston seal                           | 2    | pcs  |
| 6   | Quick clamp rubber ring               | 2    | pcs  |
| 7   | Attachment tools                      | 1    | set  |



Zhengzhou Lead Equipment Co., Ltd.

邮编 P.C.:450042

地址 ADD: 郑州市中原区西流湖街道办事处铁炉村西四环东
 Xisihuan Ring-Road East, Tielu,Xiliu lake sub-district, Zhongyuan District, Zhengzhou,Henan
 网址(Web):http://www.leadcrete.com E-Mail: sales@leadcrete.com
 电话 TEL: +86-371-63902781 传真 FAX:+86-371-63526676



# Zhengzhou Lead Equipment Co., Ltd.

Add: Xisihuan Ring-Road East, Tielu,Xiliu lake sub-district, Zhongyuan District, Zhengzhou,Henan
Web:<u>http://www.leadcrete.com</u> E-Mail: <u>sales@leadcrete.com</u>
TEL: +86-371-63902781 FAX:+86-371-63526676



邮编 P.C.:450042

Zhongyuan District, Zhengzhou,Henan 网址(Web):http://www.leadcrete.com E-Mail:sales@leadcrete.com 电话 TEL : +86-371-63902781 传真 FAX:+86-371-63526676