



郑州佰利得机器制造有限公司

Zhengzhou Lead Equipment Co., Ltd.

地址 ADD: 郑州市中原区西流湖街道办事处铁炉村西四环东
Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,
Zhongyuan District, Zhengzhou, Henan

邮编 P.C.:450042

网址 (Web): <http://www.leadcrete.com> E-Mail: sales@leadcrete.com

电话 TEL: +86-371-63902781 传真 FAX: +86-371-63526676

LHPP13/50-14D Diesel Hydraulic Power Pack Manufacturer



Description

Lead Equipment Co., Ltd. is a leading manufacturer of hydraulic power packs in China. LHPP13 / 50-14D diesel hydraulic power pack is a hot product of our company. It is used for driving hydraulic cylinder, hydraulic motor, and other hydraulic actuators. Hydraulic power pack with a motor on the top of the power pack and pump inside the tank, thus get a compact structure, powerful and small volume.

Application

Diesel hydraulic power pack is widely used as hydraulic driving for engineering machinery, construction machinery, and mining machinery. It uses diesel-powered devices, with strong power and small size for easy movement. It is the first choice for hydraulic drive. As a manufacturer of hydraulic power packs with 20 years of experience, we have developed various models of hydraulic power packs, we have a diesel hydraulic power pack and electric hydraulic power pack for options, to meet your needs in different projects.



郑州佰利得机器制造有限公司

Zhengzhou Lead Equipment Co., Ltd.

地址 ADD: 郑州市中原区西流湖街道办事处铁炉村西四环东
Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,
Zhongyuan District, Zhengzhou, Henan

邮编 P.C.:450042

网址 (Web): <http://www.leadcrete.com> E-Mail: sales@leadcrete.com

电话 TEL: +86-371-63902781 传真 FAX: +86-371-63526676

Features

1. Hydraulic power pack is equipped with Changchai steam type water cooling diesel engine.
2. Diesel hydraulic power pack with wheels, move easily, very suitable for use at construction site.
3. Hydraulic power pack suitable for rough work circumstance

Technical Specification

Type	LHPP13/50-14D
Rated work pressure	13MPa
Rated output	50umin
Rated Diesel Rev.	1500 rpm
Dieselpower	14KW/19HP
Diesel Model	Deutz Series F2L with air cooling
Overall Dimension	2300x1040x1200mm
Weight	530Kgs
We also could according to your demands to customize	

Products Detail





郑州佰利得机器制造有限公司

Zhengzhou Lead Equipment Co., Ltd.

地址 ADD: 郑州市中原区西流湖街道办事处铁炉村西四环东 邮编 P.C.:450042
Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,
Zhongyuan District, Zhengzhou, Henan

网址 (Web): <http://www.leadcrete.com> E-Mail: sales@leadcrete.com
电话 TEL: +86-371-63902781 传真 FAX: +86-371-63526676

Zhengzhou Lead Equipment Co., Ltd.

Add: Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,
Zhongyuan District, Zhengzhou, Henan

Web: <http://www.leadcrete.com> E-Mail: sales@leadcrete.com

TEL: +86-371-63902781 FAX: +86-371-63526676