


## LCP15H-E Squeeze Type Concrete Pump



### Product Description:

LCP15H-E Squeeze Type Concrete Pump is designed based on the squeeze hose pump, the concrete pump uses high pressure, wear resisting extruded tubes.


LCP15H-E Squeeze Type Concrete Pump is more widely used for pumping foam concrete, lightweight form concrete, mortar and refractory materials. The concrete pump also could be used for spraying concrete or refractory materials.

### Product Feature

1. Compact size, hopper, extrusion pumps, power sources combined in a base frame.
2. Installation of frequency control, stepless output.
3. Adopting squeeze type pumping, the squeeze hose is the only wearing parts.
4. Imported special concrete squeeze tubes, pressure, wear, long life.
5. Reversible work, facilitate the removal of plugging failure.
6. Clean on the line, sample, convenient.


### Product Specification

Description	parameter
Squeeze Pump	LH76-610
Hose ID	76mm (Trelleborg Squeeze hose)
Speed	37rpm
Output	15m <sup>3</sup> /h
Pressure	3Mpa
Max. Aggregate size	<15mm
Concrete Slump	15-23cm
Hopper Capacity	350L
Stirring speed	37rpm
Reducer Model	NR137
Voltage	22KW 50HZ IP55 3~380V
Overall Dimension	2400x1300x1200mm
Weight	1560kg
Used for spraying, recommend air compressor: the output is 6m <sup>3</sup> /h, the pressure≥0.5bar	



LCP15H-E Squeeze Type Concrete Pump

---



**Zhengzhou Lead Equipment Co., Ltd.**

Add: Xisihuan Ring-Road East, Tielu, Xiliu lake sub-district,  
Zhongyuan District, Zhengzhou, Henan

Web: [www.leadcrete.com](http://www.leadcrete.com)

E-Mail: [sales@leadcrete.com](mailto:sales@leadcrete.com)

TEL.: 86-371-63902781

FAX: 86-37163526676